


CE

UK
CA


IP65





RG0→0,2m

 $\text{t}_{\text{a}} +45^{\circ}\text{C}$
 $+45^{\circ}\text{C}$
 -20°C
 $t_{\text{a}} +45^{\circ}\text{C}$






	16A
MCB type B:	Max n.116
MCB type C:	Max n.193
MCB type D:	Max n.386





Inrush current peak and width:	
ON/OFF	11.6A/96.8 uS
EM	11.6A/96.8 uS




1,05 Kg



L' = UNSWITCHED
L = SWITCHED
N = NEUTRAL
⊕ = GROUND WIRE







EM VERSION




	GREEN	0% → 100%
	GREEN	100%
● ●	RED	KO
● ●	RED	t (°C) = KO

EM VERSION



EM VERSION



Punto di contatto indicato in adempimento ai fini delle direttive e regolamenti UE applicabili:

Contact details according to the relevant European Directives and Regulations:

GEWISS S.p.A. Via A.Volta, 1 IT-24069 Cenate Sotto (BG) Italy tel: +39 035 946 111 E-mail: qualitymarks@gewiss.com

According to applicable UK regulations, the company responsible for placing the goods in UK market is:

GEWISS UK LTD - Unity House, Compass Point Business Park, 9 Stocks Bridge Way, ST IVES

Gewiss UK Ltd, Unity House, Compass Point Business Park, 3 Stocks Bridge Way, St Ives, Cambridgeshire, PE27 5JL, United Kingdom tel: +44 1954 712757 E-mail: gewiss-uk@gewiss.com

+39 035 946 11

8:30 - 12:30 / 14:00 - 18:00
lunedì - venerdì / monday - fr



 www.gewiss.com

